

**TO:** All Bidders  
**FROM:** The College of New Jersey  
**DATE:** March 24, 2008  
**RE:** New Art & Interactive Multimedia Project, AB80022

**ADDENDUM NO. 1**

**INTENT:** This Addendum forms a part of the Contract Documents and modifies the original Bidding Documents and Prior Addenda if any. Acknowledge receipt of this Addendum in the space provided on the Bid Form. Failure to do so may subject Bidder to disqualification.

**ADDITION TO CONTRACT DOCUMENTS:**

Please see the attached signage specification and revised door schedule.

**END OF ADDENDUM NO. 1**

**DISTRIBUTION:** All Bidders  
William Rudeau  
Brion Lipschutz

**ATTACHMENTS:** Signage Specification  
Revised Door Schedule

## SECTION 10431 - SIGNAGE

### PART 1 - GENERAL

#### 1.1 SUMMARY

A. This Section includes the following:

1. Interior panel signs.

B. Related Sections include the following:

1. Division 1 Section "Temporary Facilities" for temporary Project identification signs and for temporary information and directional signs.
2. Division 14 Section Hydraulic Elevators for code-required elevator signage.
3. Division 15 Section "Identification for Plumbing Piping and Equipment" for labels, tags, and nameplates for plumbing equipment.
4. Division 15 Section "Identification for HVAC Piping and Equipment" for labels, tags, and nameplates for mechanical equipment.
5. Division 16 Section "Electrical Identification" for labels, tags, and nameplates for electrical equipment.
6. Division 16 Section "Interior Lighting" for illuminated Exit signs.

#### 1.2 SUBMITTALS

A. Product Data: For each type of product indicated.

B. Shop Drawings: Show fabrication and installation details for signs.

1. Show sign mounting heights, locations of supplementary supports to be provided by others, and accessories.
2. Provide message list, typestyles, graphic elements, including tactile characters and Braille, and layout for each sign.

C. Samples for Initial Selection: Manufacturer's color charts consisting of actual units or sections of units showing the full range of colors available for the following:

1. Polymer Sheet

D. Samples for Verification: For each of the following products and for the full range of color, texture, and sign material indicated, of sizes indicated:

1. Panel Signs: Not less than 12 inches (305 mm) square including border.
2. Accessories: Manufacturer's full-size unit.

E. Sign Schedule: Use same designations indicated on Drawings.

### 1.3 QUALITY ASSURANCE

- A. Installer Qualifications: An employer of workers trained and approved by manufacturer.
- B. Fabricator Qualifications: Shop that employs skilled workers who custom-fabricate products similar to those required for this Project and whose products have a record of successful in-service performance.
- C. Source Limitations for Signs: Obtain each sign type indicated from one source from a single manufacturer.
- D. Regulatory Requirements: Comply with applicable provisions in ICC/ANSI A117.1 2003

### 1.4 PROJECT CONDITIONS

- A. Weather Limitations: Proceed with installation only when existing and forecasted weather conditions permit installation of signs in exterior locations to be performed according to manufacturers' written instructions and warranty requirements.
- B. Field Measurements: Verify recess openings by field measurements before fabrication and indicate measurements on Shop Drawings.

### 1.5 COORDINATION

- A. Coordinate placement of anchorage devices with templates for installing signs.

## PART 2 - PRODUCTS

### 2.1 MANUFACTURERS

- A. Manufacturers: Subject to compliance with requirements, provide products by the manufacturers specified.
  - 1. Basis-of-Design Product: The design for each sign is based on the product named. Subject to compliance with requirements, provide either the named product or a comparable product by one of the other manufacturers specified.
- B. VOC Limits for Installation Adhesives and Glues: Use installation adhesives that comply with the following limits for VOC content when calculated according to 40 CFR 59, Subpart D (EPA Method 24): Adhesive: 250 g/L.

### 2.2 MATERIALS

- A. Melamine Plastic Laminate: , with contrasting core color. The melamine shall be non-static, fire-retardant and self-extinguishing.
- B. Acrylic Sheet: ASTM D 4802, Category A-1 (cell-cast sheet), Type UVA (UV absorbing).

- C. Polycarbonate Sheet: Of thickness indicated, manufactured by extrusion process, coated on both surfaces with abrasion-resistant coating:
1. Impact Resistance: 16 ft-lbf/in. (854 J/m) per ASTM D 256, Method A.
  2. Tensile Strength: 9000 lbf/sq. in. (62 MPa) per ASTM D 638.
  3. Flexural Modulus of Elasticity: 340,000 lbf/sq. in. (2345 MPa) per ASTM D 790.
  4. Heat Deflection: 265 deg F (129 deg C) at 264 lbf/sq. in. (1.82 MPa) per ASTM D 648.
  5. Abrasion Resistance: 1.5 percent maximum haze increase for 100 revolutions of a Taber abraser with a load of 500 g per ASTM D 1044.

### 2.3 PANEL SIGNS

- A. Basis-of-Design Product: Subject to compliance with requirements, provide Optima Architectural Sign System by Seton. Manufacturers listed below use one or more of graphic processes specified. Revise list to suit Project.
1. APCO Graphics, Inc.
  2. ASI-Modulex, Inc.
  3. Innerface Sign Systems, Inc.
  4. Mohawk Sign Systems.
- B. Interior Panel Signs: Provide smooth sign panel surfaces constructed to remain flat under installed conditions within a tolerance of plus or minus 1/16 inch (1.5 mm) measured diagonally from corner to corner, complying with either of the two materials indicated below:
1. Laminated, Etched Photopolymer: Raised graphics with Braille 1/32 inch (0.8 mm) above surface with contrasting colors in finishes and color combinations indicated or as selected by Architect from manufacturer's full range and laminated to acrylic back.
  2. Laminated, Sandblasted Polymer: Raised graphics with Braille 1/32 inch (0.8 mm) above surface with contrasting colors in finishes and color combinations indicated or as selected by Architect from manufacturer's full range and laminated to acrylic back.
  3. Edge Condition: Square cut.
  4. Corner Condition: Square.
  5. Mounting: Unframed.
    - a. Wall mounted with double faced foam tape.
    - b. Manufacturer's standard anchors for substrates encountered.
  6. Color: Custom Color. Colors for background, sign copy and pictograms to be custom colored and to be selected by Architect. All signs to have two colors total and should have a matte finish for both face and edge.
  7. Tactile Characters: Characters and Grade 2 Braille raised 1/32 inch (0.8 mm) above surface with contrasting colors.

- C. Changeable Message Inserts: Fabricate signs to allow insertion of changeable messages in the form of slide-in inserts
1. Furnish insert material cut-to-size for changeable message insert.
- D. Tactile and Braille Sign: Manufacturer's standard process for producing text and symbols complying with ADA-ABA Accessibility Guidelines and with ICC/ANSI A117.1. Text shall be accompanied by Grade 2 Braille. Produce precisely formed characters with square-cut edges free from burrs and cut marks; Braille dots with domed or rounded shape.
1. Raised-Copy Thickness: Not less than 1/32 inch (0.8 mm).
- E. Panel Sign Schedule:
1. Sign Type A-1 (Room Identification-Office):
    - a. Description: Frameless tactile/Braille plaque sign with room number and 1 inch name insert.
    - b. Sign Size: Minimum 6 inch x 5 inch.
    - c. Type Face: New Century Schoolbook.
    - d. Message Panel Finish/Color: Custom color.
    - e. Background Finish/Color: Custom color
    - f. Room Number Size: 3/4 inch.
    - g. Character Size: 5/8 inch.
    - h. Character Finish/Color: Custom color
    - i. Panel Sign Frame Finish/Color: Custom color.
    - j. Text/Message: Faculty Name on insert.
    - k. Location: Indicated on Door Schedule.
    - l. Room: Room Number per Door Schedule.
  2. Sign Type A-2 (Room Identification-Facility):
    - a. Description: Frameless tactile/Braille plaque sign with room name and room number.
    - b. Sign Size: Minimum 6 inch x 5 inch.
    - c. Type Face: New Century Schoolbook.
    - d. Message Panel Finish/Color: Custom color.
    - e. Background Finish/Color: Custom color.
    - f. Room Number Size: 3/4 inch.
    - g. Character Size: 5/8 inch.
    - h. Character Finish/Color: Custom color.
    - i. Panel Sign Frame Finish/Color: Custom color.
    - j. Location: Indicated on Door Schedule.
    - k. Room: Room Number per Door Schedule.
  3. Sign Type A-3 (Accessibility):
    - a. Description: Frameless tactile/Braille plaque sign with room name, room number and accessibility symbol signs .

- b. Sign Size: Minimum 6 inch x 5 inch.
  - c. Type Face: New Century Schoolbook.
  - d. Message Panel Finish/Color: Custom color.
  - e. Background Finish/Color: Custom color.
  - f. Room Number size: 3/4 inch.
  - g. Character Size: 5/8 inch.
  - h. Character Finish/Color: Custom color.
  - i. Panel Sign Frame Finish/Color: Custom color.
  - j. Location: Indicated on Door Schedule and for code-required elevator signage.
  - k. Room: Room Number per Door Schedule.
4. Sign Type A-4 (Emergency Notification Signs):
- a. Description: Frameless tactile/Braille plaque sign with graphics and text.
  - b. Sign Size: Minimum 6 inch x 5 inch.
  - c. Type Face: New Century Schoolbook.
  - d. Message Panel Finish/Color: Custom color.
  - e. Background Finish/Color: Custom color.
  - f. Room Number size: 3/4 inch.
  - g. Character Size: 5/8 inch.
  - h. Character Finish/Color: Custom color.
  - i. Panel Sign Frame Finish/Color: Custom color.
  - j. Location: As required by regulatory authorities having jurisdiction.

## 2.4 ACCESSORIES

- A. Anchors and Inserts: Provide nonferrous-metal or hot-dip galvanized anchors and inserts for exterior installations and elsewhere as required for corrosion resistance. Use toothed steel or lead expansion-bolt devices for drilled-in-place anchors. Furnish inserts, as required, to be set into concrete or masonry work.

## 2.5 FABRICATION

- A. General: Provide manufacturer's standard signs of configurations indicated.
  - 1. Mill joints to tight, hairline fit. Form joints exposed to weather to exclude water penetration.
  - 2. Preassemble signs in the shop to greatest extent possible. Disassemble signs only as necessary for shipping and handling limitations. Clearly mark units for reassembly and installation, in location not exposed to view after final assembly.
  - 3. Conceal fasteners if possible; otherwise, locate fasteners where they will be inconspicuous.

## 2.6 FINISHES, GENERAL

- A. Comply with NAAMM's "Metal Finishes Manual for Architectural and Metal Products" for recommendations for applying and designating finishes.

- B. Protect mechanical finishes on exposed surfaces from damage by applying a strippable, temporary protective covering before shipping.
- C. Appearance of Finished Work: Variations in appearance of abutting or adjacent pieces are acceptable if they are within one-half of the range of approved Samples. Noticeable variations in the same piece are not acceptable. Variations in appearance of other components are acceptable if they are within the range of approved Samples and are assembled or installed to minimize contrast.

## PART 3 - EXECUTION

### 3.1 EXAMINATION

- A. Examine substrates, areas, and conditions, with Installer present, for compliance with requirements for installation tolerances and other conditions affecting performance of work.
- B. Verify that items, including anchor inserts, are sized and located to accommodate signs.
- C. Proceed with installation only after unsatisfactory conditions have been corrected.

### 3.2 INSTALLATION

- A. Locate signs and accessories where indicated, using mounting methods of types described and complying with manufacturer's written instructions.
  - 1. Install signs level, plumb, and at heights indicated, with sign surfaces free of distortion and other defects in appearance.
  - 2. Interior Wall Signs: Mount signs on wall adjacent to the latch side of door. Where there is no wall space to the latch side of the door, including at double leaf doors, mount sign on the nearest adjacent wall as approved by the Architect. Mount signs at 48 inches (1219 mm) from the baseline of the lowest characters to the finished floor.
- B. Wall-Mounted Signs: Comply with sign manufacturer's written instructions except where more stringent requirements apply.
  - 1. Double Faced Foam Tape Mounting: Apply along entire top and bottom edges within 1/2 inch from edges. Total sign depth not to exceed +/-1/8 inch.
  - 2. Signs Mounted on Glass: Provide matching opaque plate on opposite side of glass to conceal mounting materials.

### 3.3 CLEANING AND PROTECTION

- A. After installation, clean soiled sign surfaces according to manufacturer's written instructions. Protect signs from damage until acceptance by Owner.

END OF SECTION 10431

DOOR SCHEDULE																	
DOOR										FRAME							REMARKS
No.	ROOM NAME	SIGN TYPE	TYPE	W	H	THK	MATL	FINISH	FIRE-RATING	TYPE	MATL	FINISH	HEAD	JAMB	SILL	HDWR SET	
B01	RECYCLING STORAGE	A-2	F	PR 3'-0"	7'-0"	1-3/4"	ST	P		2	ST	P	H1	J1	E	11	
B01A	RECYCLING STORAGE	A-2	F	PR 3'-0"	7'-0"	1-3/4"	ST	P		2	ST	P	H1	J1	E	11	
B02	AV STORAGE	A-2	F	PR 3'-0"	7'-0"	1-3/4"	ST	P		2	ST	P	H1	J1	E	6	
B03	MEN	A-3	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H1	J1	B	5	
B04	WOMEN	A-3	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H1	J1	B	5	
BE1	MAIN ELEC	A-2	F	PR 3'-0"	7'-0"	1-3/4"	ST	P	90 MIN	2	ST	P	H1	J1	E	11	ASTRAGAL
BE1A	MAIN ELEC	A-2	F	3'-0"	7'-0"	1-3/4"	ST	P	90 MIN	2	ST	P	H1	J1	E	11	
BE2	GENERATOR	A-2	F	PR 3'-0"	7'-0"	1-3/4"	ST	P	3 HR	2	ST	P	H1	J1	E	11	ASTRAGAL
BC1	CORRIDOR (EXTERIOR)	A-2	F	PR 3'-0"	7'-0"	1-3/4"	ST	P		2	ST	P	H5	J5	I	3A	
BM1	MECHANICAL	A-2	F	PR 3'-0"	7'-0"	1-3/4"	ST	P		2	ST	P	H1	J1	E	11	
BM1A	MECHANICAL	A-2	F	3'-0"	7'-0"	1-3/4"	ST	P		2	ST	P	H1	J1	E	8	
BM2	NOT USED																
BM3	NOT USED																
BM4	ELEV. MACHINE	A-2	F	3'-0"	7'-0"	1-3/4"	ST	P	90 MIN	2	ST	P	H1	J1	E	8	
BM5	MECHANICAL	A-2	F	3'-0"	7'-0"	1-3/4"	ST	P		2	ST	P	H1	J1	E	8	
BT1	MAIN TEL/COM	A-2	F	3'-0"	7'-0"	1-3/4"	ST	P	90 MIN	2	ST	P	H1	J1	E	8	
BST6	STAIR 6	A-2	V	3'-0"	7'-0"	1-3/4"	ST	P	60 MIN	2	ST	P	H1	J1	E	6	A-4 SIGN TYPE REQUIRED
BST2	STAIR 2	A-2	V	3'-0"	7'-0"	1-3/4"	ST	P	90 MIN	2	ST	P	H1	J1	E	6	A-4 SIGN TYPE REQUIRED
101	LOBBY		FG	PR 3'-10"	9'-0"	1-3/4"	AL	P			AL	P			E	4	ENTRANCE DOORS
101.1	VESTIBULE (EXTERIOR)		FG	PR 3'-10"	9'-0"	1-3/4"	AL	P			AL	P			I	3	ENTRANCE DOORS
101.2	AV	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	6	
102	ART EDUCATION	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	1	
102.1	ART EDUCATION STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
103	SHARED SEMINAR	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	F	1	
104	CERAMICS	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	1	
104.2	STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
105	TRASH/RECYCLE LOADING	A-2	F	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H3	J3	E	10	
105A	TRASH/RECYCLE LOAD. (EXT.)		F	PR 3'-0"	7'-0"	1-3/4"	ST	P		2	ST	P	H4	J4	E	3A	
106	WOMEN	A-3	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	B	5	
107	MEN	A-3	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	B	5	
108	SCULPTURE STUDIO	A-2	F	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H3	J3	E	11	
108A	SCULPTURE STUDIO (EXTERIOR)		F	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		6	ST	P	H4	J4	I	3	
108B	SCULPTURE STUDIO (EXTERIOR)		F	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		6	ST	P	H4	J4	I	3	
108C	SCULPTURE STUDIO	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H3	J3	E	1	
108.1	SCULPTURE STORAGE	A-2	D	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H1	J1	E	9	
108.2	SCULPTURE STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H1	J1	E	9	
108.3	PLASTER	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
108E	DUST COLLECTION (EXTERIOR)	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H1	J1	I		
108E.1	DUST COLLECTION (EXTERIOR)	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H1	J1	I		
109	STUDENT STUDIOS	A-2	G	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	11	
109A	STUDENT STUDIOS (EXTERIOR)		FG	PR 3'-0"	7'-0"	1-3/4"	AL	P			AL	P			I	3	ENTRANCE DOORS
110	STUDENT LOUNGE (EXTERIOR)		FG	PR 3'-0"	7'-0"	1-3/4"	AL	P			AL	P			I	3	ENTRANCE DOORS
111	RECYCLING / JANITOR	A-2	F	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	11	
112	INSTALLATION SPACE	A-2	F	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	11	
113	EXHIBITION SPACE	A-2	G	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		3	ST	P	H2	J2	E	11	SEGMENTED
113A	EXHIBITION SPACE (EXTERIOR)		FG	PR 3'-0"	7'-0"	1-3/4"	AL	P			AL	P			I	3	

**DOOR SCHEDULE**

DOOR										FRAME							REMARKS
No.	ROOM NAME	SIGN TYPE	TYPE	W	H	THK	MATL	FINISH	FIRE-RATING	TYPE	MATL	FINISH	HEAD	JAMB	SILL	HDWR SET	
113B	EXHIBITION SPACE (EXTERIOR)		FG	PR 3'-0"	7'-0"	1-3/4"	AL	P			AL	P			I	3	
114	INSTALLATION SPACE	A-2	F	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	11	
115	EXHIBITION STORAGE	A-2	F	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	11	
115.1	SECURE STORAGE	A-2	CL	3'-0"	7'-0"	1-3/4"	ST	GALV			ST	GALV					CHAIN LINK
116	GRAPHIC STUDIO	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	1	
116A	GRAPHIC STUDIO (EXTERIOR)		FG	PR 3'-0"	7'-0"	1-3/4"	AL	P			AL	P			I	3	ENTRANCE DOORS
117	STUDENT STUDIOS	A-2	G	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	11	
117A	STUDENT STUDIOS (EXTERIOR)		FG	PR 3'-0"	7'-0"	1-3/4"	AL	P			AL	P			I	3	ENTRANCE DOORS
118	PRINTMAKING STUDIO	A-2	G	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	11	
118A	PRINTMAKING STUDIO	A-2	G	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	11	
118.1	MORDANT / SOLVENT ROOM	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
118.2	ALTERNATIVE DARKROOM /	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
118.2A	SCREEN COATING & ENCL. RM.	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
118.3	PRINTMAKING STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
119	PAPERMAKING STUDIO	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H3	J3	E	1	
119A	PAPERMAKING STUDIO (EXTERIOR)		F	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H4	J4	I	3	
119.1	BEATER ROOM	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H2	J2	E	9	
119.2	PAPERMAKING STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H1	J1	E	9	
120	DESIGN	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	1	
120.1	DESIGN STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
120.1A	DESIGN STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
121	DRAWING STUDIO	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	1	
121.1	CHANGING	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
121.2	PAINTING STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
122	AV STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H3	J3	E	6	
1C1	CORRIDOR (EXTERIOR)		FG	3'-0"	7'-0"	1-3/4"	AL	P			AL	P			I	2A	ENTRANCE DOORS
1C2	CORRIDOR		F	PR 3'-8"	7'-0"	1-3/4"	SC WD	P	60 MIN	2	ST	P			E	10	
1C3	CORRIDOR (EXTERIOR)		FG	3'-0"	7'-0"	1-3/4"	AL	P			AL	P			I	2A	
1C4	CORRIDOR		F	PR 3'-8"	7'-0"	1-3/4"	SC WD	P	60 MIN	2	ST	P			E	10	
1ST2	STAIR 2	A-2	V	3'-0"	7'-0"	1-3/4"	SC WD	P	90 MIN	2	ST	P	H3	J3	E	6	A-4 SIGN TYPE REQUIRED
1ST2A	STAIR 2 (EXTERIOR)	A-4	FG	4'-0"	7'-0"	1-3/4"	AL	P			AL	P			I	2A	
1ST3A	STAIR 3	A-2	V	3'-0"	7'-0"	1-3/4"	SC WD	P	60 MIN	2	ST	P	H3	J3	E	6	
1ST3A	STAIR 3 (EXTERIOR)	A-4	FG	4'-0"	7'-0"	1-3/4"	AL	P			AL	P			I	2A	
1ST4	STAIR 4 (EXTERIOR)		FG	3'-0"	7'-0"	1-3/4"	AL	P			AL	P			I	2A	
1ST5	STAIR 5 (EXTERIOR)		FG	3'-0"	7'-0"	1-3/4"	AL	P			AL	P			I	2A	
1ST6	STAIR 6		F	3'-0"	7'-0"	1-3/4"	SC WD	P	60 MIN	2	ST	P	H3	J3	E	6	
1E1	ELECTRICAL	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H3	J3	E	8	
1E2	ELECTRICAL	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H3	J3	E	8	
1T1	TELECOM	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H3	J3	E	8	
1T2	TELECOM	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		2	ST	P	H3	J3	E	8	
1SY	SCULPTURE YARD		CL	3'-8"	9'-0"		ST	GALV			ST	GALV					
1PS	OUTDOOR PAPER STUDIO		CL	3'-8"	9'-0"		ST	GALV			ST	GALV					
201	COMPUTER TEACHING LAB	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	G	1	
202	LARGE FORMAT PRINTER ROOM	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	6	
203	LIGHTING STUDIO	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2		1	
203A	LIGHTING STUDIO	A-2	F	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2		11	
204	GRANTS & RESEARCH LAB	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	6	

**DOOR SCHEDULE**

DOOR										FRAME							REMARKS
No.	ROOM NAME	SIGN TYPE	TYPE	W	H	THK	MATL	FINISH	FIRE-RATING	TYPE	MATL	FINISH	HEAD	JAMB	SILL	HDWR SET	
205	UBIQUITOUS COMPUTING LAB	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	1	
205.1	UBIQ. COMP. LAB STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
206	WOMEN	A-3	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	B	5	
207	MEN	A-3	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	B	5	
208	CAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	6	
209	PHOTO CLASSROOM	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	G	1	
210	MYLOWE OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	7	
211	SHARED CLASSROOM	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	F	1	
212	CENTRAL PROCESSING WET/DRY	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	1	
212.1	DARKROOM STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
212.2	LIGHT LOCK	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2		9	LIGHT SEALS
212.5	FILM LOADING	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2		9	LIGHT SEALS
212.6	FILM LOADING	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2		9	LIGHT SEALS
212.7	FILM LOADING	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2		9	LIGHT SEALS
212.8	FILM LOADING	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2		9	LIGHT SEALS
213	ART HISTORY SEMINAR	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	F	1	
214	RENDERING SERVER	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	F	6	
215	COMPUTER TEACHING LAB	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	G	1	
216	COMPUTER TEACHING LAB	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	G	1	
217	COMPUTER TEACHING LAB	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	G	1	
218	COMPUTER TEACHING LAB	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	G	1	
219	PRINTER ROOM	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	6	
220	DESIGN CENTER	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	1	
221	GRAPHIC ARTS STUDIO	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	1	
221.1	GRAPHIC ARTS STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
222	BOOK ARTS & FRAMING LAB	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	1	
222.1	BOOK ARTS STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
223	GRAPHIC DESIGN DIRTY ROOM	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	1	
224	ART HISTORY CLASSROOM	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	F	1	
225	TECH OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	F	7	
226	COMPUTER STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	6	
227	ADMINISTRATION	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	7	
227.1	MACHINE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	SOUND RATED SEALS
227.2	STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
227.3	CONTROL ROOM B	A-2	V	3'-0"	7'-0"	1-3/4"	SC WD	P			ST	P			E	9	ACOUSTICAL DR. STC 55
227.4	ISOLATION STORAGE	A-2	V	3'-0"	7'-0"	1-3/4"	SC WD	P			ST	P			E	9	ACOUSTICAL DR. STC 55
227.5	CONTROL ROOM A	A-2	V	3'-0"	7'-0"	1-3/4"	SC WD	P			ST	P			E	9	ACOUSTICAL DR. STC 55
227.6	LIVE ROOM	A-2	V	3'-0"	7'-0"	1-3/4"	SC WD	P			ST	P			E	9	ACOUSTICAL DR. STC 55
228	JANITOR	A-2	F	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	11	
229	AV STORAGE	A-2	F	PR 3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	11	
230	PAINTING STUDIO	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	1	
230A	PAINTING STUDIO	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	1	
230.1	CHANGING	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
230.2	DRAWING STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	9	
232	AV STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	11	
2E1	ELECTRICAL	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	8	
2E2	ELECTRICAL	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	8	
2ST2	STAIR 2	A-2	V	3'-0"	7'-0"	1-3/4"	SC WD	P	90 MIN	2	ST	P	H3	J3	E	6	A-4 SIGN TYPE REQUIRED
2ST3	STAIR 3	A-2	V	3'-0"	7'-0"	1-3/4"	SC WD	P	60 MIN	2	ST	P	H3	J3	E	6	A-4 SIGN TYPE REQUIRED

**DOOR SCHEDULE**

DOOR										FRAME							REMARKS
No.	ROOM NAME	SIGN TYPE	TYPE	W	H	THK	MATL	FINISH	FIRE-RATING	TYPE	MATL	FINISH	HEAD	JAMB	SILL	HDWR SET	
2ST4	STAIR 4	A-2	V	3'-0"	7'-0"	1-3/4"	SC WD	P	60 MIN	2	ST	P			E	6	A-4 SIGN TYPE REQUIRED
2ST4A	STAIR 4	A-2	V	3'-0"	7'-0"	1-3/4"	SC WD	P	60 MIN	2	ST	P			E	6	
2ST5	STAIR 5	A-2	V	3'-0"	7'-0"	1-3/4"	SC WD	P	60 MIN	2	ST	P			E	6	A-4 SIGN TYPE REQUIRED
2ST5A	STAIR 5	A-2	V	3'-0"	7'-0"	1-3/4"	SC WD	P	60 MIN	2	ST	P			E	6	
2T1	TELECOM	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	8	
2T2	TELECOM	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	E	8	
301	CONFERENCE ROOM	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		4	ST	P	H2	J2	D	1	
301A	CONFERENCE ROOM	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		4	ST	P	H2	J2	D	1	
302	STORAGE	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	12	
303	MIRANDA FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
304	ALLYN FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
305	MACKIE FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
306	SANDERS FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
307	CHAK FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
308	KAPLOWITZ FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
309	ADJUNCT FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
310	ROSE FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
311	ADJUNCT FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
312	ADJUNCT FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
3M1.1	JANITOR	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	H	5	
314	WOMEN	A-3	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	H	5	
315	KABBASH FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
316	VAN DER HEIJDEN FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
317	AULT FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
318	CUNNINGHAM FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
319	LOUNGE	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	A	6	
320	RECEPTION / WAITING AREA	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		5	ST	P	H2	J2	D	7	
320.1	CLOSET	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		5	ST	P	H2	J2	D	7	
321	ADMIN OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	9	
322	CO-CHAIR OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	9	
323	CHAIR OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	9	
324	SLIDE LIBRARY	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		5	ST	P	H2	J2	D	1	
324A	SLIDE LIBRARY	A-2	G	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	9	
325	COPY	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	6	
326	FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
327	HUTTON FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
328	FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
329	JOYCE FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
330	MEN	A-3	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	5	
3M2.1	JANITOR	A-2	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	5	
332	ADJUNCT FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
333	ADJUNCT FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
334	ADJUNCT FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
335	ADJUNCT FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
336	RIGBY FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
337	FICHNER-RATHUS FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	
338	MILLER FACULTY OFFICE	A-1	F	3'-0"	7'-0"	1-3/4"	SC WD	P		1	ST	P	H2	J2	D	7	

