Einhorn Yaffee Prescott
Architecture & Engineering, P.C.
1000 Potomac Street, NW
Washington, D.C. 20007
Telephone: 202.471.5000
Fax: 202.471.5050

eypae.com

EYP/

GENERAL NOTES

1. SEE DRAWING T002 FOR TELECOMMUNICATION SITES DETAILS.
2. MANHOLE LOCATION AND CONDUIT ROUTING SHALL BE COORDINATED WITH OTHER UTILITY LINES ON THE SITE.
3. THE CABLE ROUTINGS SHOWN ARE SCHEMATIC IN NATURE AND ARE ONLY TO AID THE CONTRACTOR IN HIS/HER UNDERSTANDING OF THE PROJECT. THE CONTRACTOR SHALL STUDY ALL CONDITIONS AND PROVIDE ROUTINGS ACCORDINGLY. IT WILL BE THE CONTRACTOR'S RESPONSIBILITY TO USE HIS/HER BEST MEANS AND METHODS IN LOCATING AND INSTALLING THE CONDUITS/CABLES IN HARMONY WITH THE BUILDING CONDITIONS AND OTHER TRADE'S WORK.
4. PROVIDE TRACEABLE PULL TAPE IN ALL CONDUITS.

KEY NOTES

1. PENETRATION LOCATIONS TO BE COORDINATED WITH THE COLLEGE OF NEW JERSEY.
2. WIRED THROUGH FLOOR TO OUTLETS IN TABLE, COORDINATE LOCATION WITH THE COLLEGE OF NEW JERSEY.
3. WIRED THROUGH FLOOR TO OUTLETS IN PODIUM, COORDINATE LOCATION WITH THE COLLEGE OF NEW JERSEY.

KEY PLAN:

TRUE NORTH JOB NORTH

NO.	REVISION/SUBMISSION	DATE
1	ADDENDUM #3	4.1.2008

THE COLLEGE OF NEW JERSEY

New Art & IMM Building

Ewing, New Jersey

DATE:	2.20.2008
SCALE:	1/8"=1'-0"
EYP PROJECT NO.	1006041.01
DESIGNED BY:	sk
DRAWN BY:	
CHECKED BY:	

COMMUNICATIONS-FIRST FLOOR

T302

© 2007 Einhorn Yaffee Prescott, A&E